

# CASTELLI

ECRÙ  
TABACCO  
CENERE  
VANILLA



# CASTELLI

## 4 COLOURS

ecrù  
tabacco  
cenere  
vanilla

## 6 SIZES

80x80 - 32"x32" Rett  
40x80 - 16"x32" Rett  
60x60 - 23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett  
30x60 - 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett  
30x30 - 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" Rett  
5x20 - 2"x8"



ecrù 02



tabacco 12



cenere 18



vanilla 28



ecrù

5x20 - 2'x8'



2



3

Modulare 19: 80x80 - 32x32" Rett / 40x80 - 16"x32" Rett / 60x60 - 23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett



# ecrù

80x80 - 32"x32" Rett / 5x20 - 2"x8"



4

5



# ecrù

80x80 - 32"x32" Rett / 5x20 - 2"x8"



6

7



ecrù

5x20 - 2"x8"

8



9

80x80 - 32"x32" Rett / 5x20 - 2"x8"



# ecrù


Modulare 19: 80x80 - 32"x32" Rett / 40x80 - 16"x32" Rett / 60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>" Rett



10





**1005719** - 80x80 - 32"x32" Rett




**1005723** - 40x80 - 16"x32" Rett




**1005728** - 60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>" Rett




**1005732** - 30x60 - 11<sup>3/4</sup>"x23<sup>5/8</sup>" Rett



**1005738** - 30x30 - 11<sup>3/4</sup>"x11<sup>3/4</sup>" Rett



**1005761** - 30x30 - 11<sup>3/4</sup>"x11<sup>3/4</sup>"  
Mosalco Spacco




**1005856** - 5x20 - 2"x8"



## ESEMPI POSA 5x20 - EXAMPLES POSE 5x20



## PEZZI SPECIALI - SPECIAL PIECES



**1005757** - 6,5x60 - 2<sup>9/16</sup>"x23<sup>5/8</sup>" Rett



**1005853** 7,5x80 - 3"x32" Rett



11



# tabacco

Modulare 1B: 60x60 - 23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett / 30x60 - 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett / 30x30 - 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" Rett  
30x30 - 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" Mosaico Spacco



12

13



80x80 - 32"x32" Rett



# tabacco

Modulare 1B: 60x60 - 23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett / 30x60 - 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett / 30x30 - 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" Rett  
30x30 - 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" Mosaico Spacco






# tabacco


Modulare 19: 80x80 - 32"x32" Rett / 40x80 - 16"x32" Rett / 60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>" Rett





**1005720** - 80x80 - 32"x32" Rett




**1005724** - 40x80 - 16"x32" Rett





**1005729** - 60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>" Rett




**1005733** - 30x60 - 11<sup>3/4</sup>"x23<sup>5/8</sup>" Rett



**1005737** - 30x30 - 11<sup>3/4</sup>"x11<sup>3/4</sup>" Rett




**1005762** - 30x30 - 11<sup>3/4</sup>"x11<sup>3/4</sup>"  
Mosalco Spacco



**1005857** - 5x20 - 2"x8"



## ESEMPI POSA 5x20 - EXAMPLES POSE 5x20



## PEZZI SPECIALI - SPECIAL PIECES



**1005758** - 6,5x60 - 2<sup>9/16</sup>"x23<sup>5/8</sup>" Rett



**1005854** 7,5x80 - 3"x32" Rett





# cenere

5x20 - 2"x8" / 40x80 - 16"x32" Rett

18



19



80x80 - 32"x32" Rett / 40x80 - 16"x32" Rett / 60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>" Rett



# cenere

80x80 - 32"x32" Rett / 40x80 - 16"x32" Rett / 5x20 - 2"x8"

20

21





# cenere

Modulare 18: 80x80 - 32"x32" Rett / 40x80 - 16"x32" Rett / 60x60 - 23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett  
5x20 - 2"x8"





# cenere

Modulare 18: 80x80 - 32"x32" Rett / 40x80 - 16"x32" Rett / 60x60 - 23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett



24



25

5x20 - 2"x8"




# cenere

80x80 - 32"x32" Rett / 40x80 - 16"x32" Rett / 60x60 - 23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett





**1005718** - 80x80 - 32"x32" Rett



**1005722** - 40x80 - 16"x32" Rett





**1005727** - 60x60 - 23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett




**1005731** - 30x60 - 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett



**1005735** - 30x30 - 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" Rett




**1005760** - 30x30 - 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>"  
Mosalco Spacco




**1005851** - 5x20 - 2"x8"



## ESEMPI POSA 5x20 - EXAMPLES POSE 5x20



## PEZZI SPECIALI - SPECIAL PIECES



**1005756** - 6,5x60 - 2<sup>9</sup>/<sub>16</sub>"x23<sup>5</sup>/<sub>8</sub>" Rett



**1005852** 7,5x80 - 3"x32" Rett





# vanilla

5x20 - 2"x8"

28



29



80x80 - 32"x32" Rett



# vanilla

5x20 - 2"x8"

30

31





# vanilla

Modulare 19: 80x80 - 32"x32" Rett / 40x80 - 16"x32" Rett / 60x60 - 23<sup>5</sup>/<sub>8</sub>" x 23<sup>5</sup>/<sub>8</sub>" Rett






# vanilla

Modulare 19: 80x80 - 32"x32" Rett / 40x80 - 16"x32" Rett / 60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>" Rett




**1005721** - 80x80 - 32"x32" Rett




**1005725** - 40x80 - 16"x32" Rett



**1005730** - 60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>" Rett





**1005734** - 30x60 - 11<sup>3/4</sup>"x23<sup>5/8</sup>" Rett



**1005738** - 30x30 - 11<sup>3/4</sup>"x11<sup>3/4</sup>" Rett




**1005763** - 30x30 - 11<sup>3/4</sup>"x11<sup>3/4</sup>"  
Mosalco Spacco




**1005858** - 5x20 - 2"x8"



## ESEMPI POSA 5x20 - EXAMPLES POSE 5x20



## PEZZI SPECIALI - SPECIAL PIECES



**1005759** - 6,5x60 - 2<sup>9/16</sup>"x23<sup>5/8</sup>" Rett



**1005855** 7,5x80 - 3"x32" Rett





# GRES PORCELLANATO A TUTTA MASSA

FULL BODY PORCELAIN STONEWARE  
GRÈS CÉRAME PLAINE MASSE  
VOLLMASSEFEINSTEINZEUG  
GRES PORCELLANATO GEHEEL MASSIEF



36

Proprietà fisico chimiche Physical-chemical properties Caractéristiques physico-chimiques Physische Chemische eigenschaften Fysisch-chemische eigenschappen	Norme Norms Noemes Normen Normen	Valori presvalori prescritti Required values Valeurs exigées Vorgeschriebene werte Vereiste waarde		
Dimensioni Sizes Format Format Afmetingen	ISO 10545-2	Aspetto Superficiale Surface appearance Aspect superficiel Oberflächenbeschaffenheit	≥ 95%	≥ 95%
		Lunghezza e larghezza Length and width Longueur et largeur Länge und Breite Lengte en breedte	± 0,5% ± 2 mm	± 0,3% ± 1,5 mm
		Rettilineità spigoli Linearity Rectitude de l'angularité Kantengeradheit Rechtlijnigheid van de hoeken	± 0,3% ± 1,5 mm	± 0,3% ± 1,5 mm
		Spessore Thickness Epaisseur Stärke Dikte	± 5% ± 0,5 mm	± 5% ± 0,5 mm
		Ortogonalità Wedging Orthogonalité Rechtwinkligkeit Rechthoekigheid	± 0,3% ± 1,5 mm	± 0,3% ± 1,5 mm
	ISO10545-2	Planarità Warpage Planéité Ebenförmigkeit Vlakheid	± 0,3% ± 1,5 mm	± 0,3% ± 1,5 mm
Warpage diagonal/ edge		± 0,4%	± 0,4%	
Resistenza al gelo Frost resistance Résistance au gel Froständigkeit Vorbeständigkeit	ISO 10545-12	Nessuna alterazione No alteration Aucune altération Keine Änderung Geen enkele variatie	Resistente Resistant Résistant Widerstandsfähigkeit Bestendig	
Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Waterabsorptie	ISO 10545-3	> 10% Gruppo BIII ≤ 0,1% Gruppo Bla GL - UGL	E ≤ 0,1% Bla - UGL	
Resistenza a flessione e forza di rottura Modulus of rupture and breaking strength résistance à la flexion et force de rupture Biegefestigkeit und Bruchlast Buigvastheid en breeksterkte	ISO 10545-4	S ≥ 1300 N R ≥ 35 N/mm <sup>2</sup>	S ≥ 1300 N R ≥ 35 N/mm <sup>2</sup>	
Resistenza agli sbalzi termici Thermal shocks resistant Résistance aux variations thermiques Temperaturwechselbeständigkeit Weerstand tegen temperatuurschokken	ISO 10545-9	Requisito non previsto Not provided requirement Qualité pas prévue Erfordermis nicht vorgesehen Niet opgenomen eis	Resistente Resistant Résistant Widerstandsfähigkeit Bestendig	
Resistenza all'abrasione profonda Abrasion resistance Résistance à l'abrasion Verschleiß (Volumenverlust) Diepe slijsterkte	ISO 10545-6		≤ 175 mm <sup>3</sup>	
Coefficiente di dilatazione termica lineare (50°/400°) Linear thermal expansion coefficient (50°/400°) Dilatation thermique linéaire (50°/400°) Lineare Wärmeausdehnung (50°/400°) Lineaire thermische uitzettingscoëfficiënt (50°/400°)	ISO 10545-8		Metodo disponibile Test method available Méthode disponible Verfügbares Verfahren Beschikbare met	
Durezza della Superficie Surface resistance Dureté de la surface Ritzhärte der Oberfläche Oppervlaktehardheid	EN 101		> 6	
Resistenza all'attacco chimico (tranne acido fluoridrico) Resistance to chemical attack (except hydrofluoric acid) Résistance à l'attaque chimique (sauf acide fluoridrique) Säure- und Laugenbeständigkeit (außer Flußsäure) Chemische resistentie (behalve waterstoffluoride)	ISO 10545-13	Come indicato dal produttore As indicated by manufacturer Comme indiqué par le producteur Wie vom Hersteller angegeben Zoals aangegeven door de fabrikant	Classe A-LA-HA Class A-LA-HA Classe A-LA-HA Gruppe A-LA-HA Klasse A-LA-HA	
Resistenza alle macchie Resistance to staining Résistance aux taches Fleckbeständigkeit Vlekbestendigheid van geglazuurde tegels	ISO 10545-14	CLASSE min. 3	Classe 5 Class 5 Classe 5 Gruppe 5 Klasse 5	
Coefficiente di attrito Coefficient of friction Coefficient de frottement Reibungskoeffizient Gemiddelde wrijvingscoëfficiënt	DIN 51130		R 10	
Resistenza alla scivolosità. Coefficiente di attrito medio Skid resistance. Average coefficient of friction Résistance au glissement. Coefficient de frottement moyen Rutschfestigkeit. Mittlerer Reibungswert Slipweerstand. Gemiddelde wrijvingscoëfficiënt	DIN 51097		Classe B Class B Classe B Gruppe B Klasse B	
	B. C. R. A. (No Lapp/Lev)	μ > 0,40 (Wet) μ > 0,40 (Dry)	0,40 ≤ M ≤ 0,74	
	DCCOF Acu Test (No Lapp/Lev)	≥ 0,42	M ≥ 0,42	
Variazione cromatica Colour shading Variations chromatiques Chromatische Abweichungen Kleurvariatie			V3	

## IMBALLI - PACKING TABLE - TABLEAU DES EMBALLAGES - VERPACKUNGS TABELLE - VERPAKKINGEN

FORMATO SIZE	SCATOLA - BOX			PALLET		
	Pezzi - Pieces	m <sup>2</sup>	KG	Scatole - Boxes	m <sup>2</sup>	KG
80x80 - 32"x32" Rett	2	1,28	28,20	40	51,20	1.144
40x80 - 16"x32" Rett	3	0,96	22,50	28	26,88	646
60x60 - 23 <sup>5/8</sup> "x23 <sup>5/8</sup> " Rett	3	1,08	24,00	40	43,20	976
30x60 - 11 <sup>3/4</sup> "x23 <sup>5/8</sup> " Rett	6	1,08	24,00	40	43,20	976
30x30 - 11 <sup>3/4</sup> "x11 <sup>3/4</sup> " Rett	12	1,08	24,00	40	43,20	976
5x20 - 2"x8"	60	0,60	13,50	50	30,00	691
30x30 - 11 <sup>3/4</sup> "x11 <sup>3/4</sup> " Mosaico Spacco	5	0,45	9,00	60	27,00	556



Prima edizione: Marzo 2020  
Coordinamento: Ufficio Marketing  
Foto: Hipix  
Fotoelaborazioni: Hipix  
Stampa: Intese Grafiche  
© Copyright 2020 Gruppo Romani S.p.A.





